



smeva

since 1920

Dedicated to freshness



FJORDA | DESIGN WALL REFRIGERATION

Fjorda: complete line of semi-vertical self-service cabinets

Smeva has modernised and improved the design of its Fjorda semi-vertical refrigerated display case. This has given the complete line of wall cabinets a contemporary character. The latest Fjorda is suitable for just about any type of pre-packed goods, that belong on the self-service shelf. Ranging from meat products, delicacies, cheese and meal components, bread, bakery products, poultry, fish and vegetables, tapas, sushi, pizzas and even smoothies. Always attractively presented, and guaranteed fresh for a longer period of time.

Suitable for any shop interior

This wall cabinet is perfect as a semi-vertical self-service cabinet for food retailers, such as supermarkets, butchers, fishmongers and fresh-goods markets. Thanks to its new design the look of the refrigerated display cabinet is beautifully aligned with the Smeva Vision MKII serve-over counter. The Fjorda adds the finishing touch to your shop. Beside the traditional serve-over counter, the Fjorda self-service glass cabinet encourages impulse purchases of pre-packed goods.

CHARACTERISTICS:


- ▶ Available in 180 variations
- ▶ Diverse design options
- ▶ Presentation of pre-packed goods
- ▶ Flexible deployment
- ▶ LED lighting in the deck, underneath the shelves and at the plinth (optional)
- ▶ Decorative front (optional)
- ▶ Night cover (optional)
- ▶ Decorative front (optional)
- ▶ Standardised for natural refrigerants



FJORDA CONFIGURATION:


1. Presentation depth

▶ Super Slim Line (620mm)




Fjorda SSL 5.3R

▶ Slim Line (770 mm)



Fjorda SL 5.3R


▶ Regular Line (900 mm)



Fjorda RL 4.3R


2. Base height

▶ 500 mm (4)



Height 4


▶ 580 mm (5)



Height 5

▶ 660 mm (6)


N.B. 660 mm = ready to plug in!
NOT in SSL!



Height 6


3. Number of levels

▶ 1. Basic level




Fjorda SL 5.1R

▶ 2. Basic level + 1




Fjorda SL 5.2R

▶ 3. Basic level + 2




Fjorda SL 5.3R

▶ 4. Basic level + 3



Fjorda SL 5.4R


▶ 5. Basic level + 4



Fjorda SL 5.5R


4. Deck (canopy)

► Material: Stainless steel or RAL



Night cover Deck lighting
R dek


► Material: Stainless steel or RAL



Night cover Deck lighting
XR dek


5. Front

► Standard Front



Fjorda SL 5.2R

► Flush Front




Fjorda SL 5.2R FLUSH

6. Length module

The fjorda is built modularly. In this way, each Fjorda can be adjusted to length, according to a simple calculation. The one-piece modules are available (without dividing seam) in the following sizes:

- 1250 mm
- 1875 mm
- 2500 mm
- 3125 mm
- 3750 mm

The cooling cabinet can be extended from a minimum of 1250 mm with sections from 625 to 3750 mm. A gable-end with a thickness of 24 mm is placed on the sides of each module.



180 VARIANTS:

Offering 180 variants in different depths, heights and other options, the Fjorda suits any store concept and shop layout. The cabinet can be designed to suit you in various materials and colours, and is always of the highest quality.

In addition to the standard designs delivered directly from the factory, Smeva can also carry out any further desired customisation on a project basis:

- Back-to-back or island layout
- Casco chilled display as part of customised interior redesign
- Prepared for tiling
- Connections with other chilled cabinets
- Prepared for humidification
- Special gable-end with mirror or thermopane glass

DESIGN OPTIONS:

1 Interior

- ▶ Honeycomb grid (grey/black)
- ▶ Evaporator grid (RAL colour/stainless steel)
- ▶ Base display platform (RAL colour/stainless steel)

2 Bumper rails

- ▶ Stainless steel ground Ø 19mm
- ▶ Stainless steel ground Ø 25.4mm
- ▶ Stainless steel ground 20x30mm
- ▶ Boston black or grey

3 Gable-end

- ▶ HPL laminated

4 Night cover



5 Decorative front

- ▶ RAL colour
- ▶ Prepared for tiling
- ▶ HPL

6 Deck lighting

- ▶ Warm white
- ▶ Warm white red
- ▶ Marbled meat

7 Shelves

- ▶ Powder-coated RAL colour
- ▶ Stainless steel
- ▶ Glass

8 Shelf lighting

- ▶ Warm white
- ▶ Warm white red
- ▶ Marbled meat

TECHNICAL SPECIFICATIONS:

Model	Fjorda, semi-vertical refrigerated cabinet
Product temperature:	(3M1) 25°C – 60% RH -1 ← T → +5°C
Humidification temperature:	-10 °C (at ambient temperature of 20 °C)
Cooling capacity:	800 / 1250 W/m
Lengths:	1250 / 1875 / 2500 / 3125 / 3750 mm
Height:	Minimum 880 mm to maximum 1850 mm
Shelf presentation depth:	300 / 400 / 450 / 500 mm
Presentation depth base display platform:	620 / 770 / 900 mm
Inclination angle base display platform:	2°
Windows:	Front window 140 mm
Deck:	300 mm R-deck / 470 mm XR-deck
Front:	Standard / Flush (aligned with front)
Nominal voltage:	230 V, 50 Hz
Temperature controllers:	Carel / Danfoss (variations on request)
Lighting:	LED lighting in the deck and/or under every
Cooling technology:	Dynamic cooling
Version:	Remote / Plug-in
Refrigerant:	Remote: R744 / R448a / R449a / R134a (other refrigerants possible on request) Plug-in: R290 / R433a
Interior:	RAL colour Shelves: Powder-coated RAL colour / stainless steel / glass Base display platform: Powder-coated RAL colour / stainless steel
Exterior:	Closed substructure in RAL colour Various options for bumper rails

INTERESTED?

Interested in finding out more about our Fjorda-design wall refrigeration and the possibilities? Or maybe you would like some professional advice free of charge? E-mail us at sales@smeva.nl or phone us on +31 40 207 32 00. We will be happy to help!